National High Blood Pressure Education Program

The Sixth Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure (JNC VI)

Sixth Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure

Executive Committee:

Sheldon G. Sheps, M.D., Chair Mayo Clinic, Mayo Foundation, and Mayo Medical School

Henry R. Black, M.D., Chair of Chapter 1 Rush-Presbyterian-St. Luke's Medical Center

Jerome D. Cohen, M.D., Chair of Chapter 2 St. Louis University Health Sciences Center

Norman M. Kaplan, M.D., Chair of Chapter 3 University of Texas Southwestern Medical Center

Keith C. Ferdinand, M.D., Chair of Chapter 4 Heartbeats Life Center

Aram V. Chobanian, M.D. Boston University

Harriet P. Dustan, M.D. University of Vermont College of Medicine

Ray W. Gifford, Jr., M.D. Cleveland Clinic Foundation

Marvin Moser, M.D. Yale University School of Medicine

National High Blood Pressure Education **Program Coordinating Committee**

Agency for Health Care Policy and Research

American Academy of Family Physicians

American Academy of Insurance Medicine

American Academy of Neurology

American Academy of Ophthalmology

American Academy of Physician Assistants

American Association of **Occupational Health Nurses**

American College of Cardiology

American College of Chest Physicians

American College of Occupational and Environmental Medicine

American College of Physicians

American College of Preventive Medicine

American Dental Association

American Diabetes Association

American Dietetic Association

American Heart Association

American Hospital Association

American Medical Association

American Nurses Association, Inc.

American Optometric Association

American Osteopathic Association

American Pharmaceutical Association

American Podiatric Medical Association

American Public Health Association

American Red Cross

American Society of Health-System Pharmacists

American Society of Hypertension

Association of Black Cardiologists

Citizens for Public Action on High Blood Pressure and Cholesterol, Inc.

Council on Geriatric Cardiology

Health Care Financing Administration

Health Resources and Services Administration

International Society on Hypertension in Blacks

National Black Nurses Association, Inc.

National Center for Health Statistics. Centers for Disease Control and Prevention

National Heart, Lung, and Blood Institute

National Hypertension Association

National Institute of Diabetes and Digestive and Kidney Diseases

National Kidney Foundation

National Medical Association

National Optometric Association

National Stroke Association

NHLBI Ad Hoc Committee on Minority Populations

Society for Nutrition Education

U.S. Department of Veterans Affairs

JNC VI Table of Contents

- 1. Introduction
- 2. Blood Pressure Measurement and Clinical Evaluation
- 3. Prevention and Treatment of High Blood Pressure
- 4. Special Populations and Situations

Purpose of the JNC VI Report

To use evidence-based medicine and consensus to report on contemporary approaches to hypertension prevention and control for use by primary care clinicians.

Progress of the National High Blood Pressure Education Program

- Increased awareness, treatment, and control.
- Decreased morbidity and mortality from stroke and coronary heart disease (CHD).

Public Health Challenges for the National High Blood Pressure Education Program

- Prevent blood pressure rise with age.
- Decrease prevalence.
- Increase awareness and detection.
- Improve control.
- Reduce cardiovascular risks.

Public Health Challenges for the National High Blood Pressure Education Program (continued)

- Recognize importance of controlled isolated systolic hypertension.
- Recognize importance of high-normal blood pressure.
- Reduce demographic variations.
- Improve opportunities for treatment.


Awareness, Treatment, and Control of High Blood Pressure in Adults*

	NHANES II 1976–80	NHANES III (Phase 1) 1988–91	NHANES III (Phase 2) 1991–94
Awareness	51%	73%	68.4%
Treatment	31%	55%	53.6%
Control**	10%	29%	27.4%

^{*} Adults ages 18 to 74 years with SBP \geq 140 mm Hg or DBP \geq 90 mm Hg or taking antihypertensive medication.


^{**} SBP < 140 mm Hg and DBP < 90 mm Hg.

Percent Decline in Age-Adjusted* Mortality Rates for Stroke by Sex and Race: United States, 1972–1994




The decline in age-adjusted mortality for stroke in the total population is 59.0%. *Age-adjusted to the 1940 U.S. census population.

Percent Decline in Age-Adjusted* Mortality Rates for CHD by Sex and Race: United States, 1972–1994




The decline in age-adjusted mortality for CHD in the total population is 53.2%. *Age-adjusted to the 1940 U.S. census population.

Incidence of Reported End-Stage Renal Disease Therapy, 1982–1995



Prevalence of Heart Failure, by Age, 1976–1980 and 1988–1991



Summary of Chapter 1

- Hypertension awareness, treatment, and control rates have increased over the past three decades. The rates of increase have lessened since JNC V.
- Age-adjusted mortality for stroke and CHD declined during this time but now appear to be leveling.
- The incidence of end-stage renal disease and the prevalence of heart failure are increasing.

Summary of Chapter 1 (continued)

- Randomized controlled trials provide the best method of estimating benefit of treatment and source of information for clinical policy, but they have limitations.
- Prevention and treatment of hypertension and target organ disease remain important public health challenges that must be addressed.